

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

**List of Claims:**

**Claim 1 (Original):** A method of communicating over a network, said network having a first gateway device and a second gateway device capable of communicating with each other using a packet protocol, said second gateway device capable of communicating with a communication device over a telephone line, said method comprising the steps of:

receiving a call request by said second gateway device from said first gateway device for said communication device;

placing a call by said second gateway device to said communication device over said telephone line;

enabling a tone detector for detecting a tone from said communication device;

detecting said tone from said communication device over said telephone line; and

enabling a filter, in response to said detecting step, to prevent said tone from reaching said first gateway device.

**Claim 2 (Original):** The method of claim 1, wherein said communication device is a modem device.

**Claim 3 (Original):** The method of claim 1, wherein said communication device is a facsimile device.

**Claim 4 (Original):** The method of claim 1, wherein said tone is an answer tone.

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

**Claim 5 (Original):** The method of claim 1, wherein said step of enabling said tone detector enables said tone detector for a pre-determined period of time.

**Claim 6 (Original):** The method of claim 1, wherein said tone detector is a fast tone detector.

**Claim 7 (Original):** The method of claim 1, wherein said filter is a notch filter centered around 2100Hz.

**Claim 8 (Original):** The method of claim 1, wherein said step of enabling said filter enables said tone detector for a pre-determined period of time.

**Claim 9 (Original):** The method of claim 1 further comprising the step of informing said first gateway device of said communication device, in response to said detecting step.

**Claim 10 (Currently Amended):** A method of communicating over a network, said network having a first gateway device and a second gateway device capable of communicating with each other using a packet protocol, said second gateway device capable of communicating with a communication device over a telephone line, said method comprising the steps of:

receiving a call request by said second gateway device from said first gateway device for said communication device;

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

placing a call by said second gateway device to said communication device over  
said telephone line;

enabling an answer tone detector;

receiving an answer tone from said communication device; ~~and~~

detecting said answer tone using said answer tone detector; and

preventing said answer tone from reaching said first gateway device.

**Claim 11 (Original):** The method of claim 10, wherein said communication device is a  
modem device.

**Claim 12 (Original):** The method of claim 10, wherein said communication device is a  
facsimile device.

**Claim 13 (Currently Amended):** A The method of claim 10 further communicating over  
a network, said network having a first gateway device and a second gateway device capable of  
communicating with each other using a packet protocol, said second gateway device capable of  
communicating with a communication device over a telephone line, said method comprising the  
steps of:

receiving a call request by said second gateway device from said first gateway  
device for said communication device;

placing a call by said second gateway device to said communication device over  
said telephone line;

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

~~enabling a filter; prior to said step of receiving said answer tone;~~  
receiving an answer tone from said communication device; and  
preventing said answer tone from reaching said first gateway device;

wherein said step of preventing uses said filter to prevent said answer tone from reaching said first gateway device.

**Claim 14 (Original):** The method of claim 13, wherein said step of enabling said filter enables said filter for a pre-determined period of time.

**Claim 15 (Original):** The method of claim 13, wherein said filter is a notch filter centered around 2100Hz.

**Claim 16 (Currently Amended):** The method of claim 10, wherein said answer tone detector is further comprising the steps of:

~~enabling a fast tone detector prior to said step of receiving said answer tone;~~  
~~detecting said answer tone using said fast tone detector; and~~  
~~enabling a filter in response to said detecting step;~~  
~~wherein said step of preventing uses said filter to prevent said answer tone from reaching said first gateway device.~~

**Claim 17 (Original):** The method of claim 16, wherein said step of enabling said filter enables said filter for a pre-determined period of time.

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

**Claim 18 (Original):** The method of claim 16, wherein said filter is a notch filter centered around 2100Hz.

**Claim 19 (Original):** The method of claim 16, wherein said step of enabling said fast tone detector enables said fast tone detector for a pre-determined period of time.

**Claim 20 (Currently Amended):** A filter for use in conjunction with a first gateway device capable of communicating with a second gateway device using a packet protocol, said first gateway further capable of communicating with a communication device over a telephone line, said filter comprising:

an input configured to receive a first signal from said communication device;

a filter circuit configured to filter an answer tone from said first signal to generate a second signal; and

an output to provide said second signal for transmission to said second gateway;

wherein said first signal is received from an echo canceller receiving a third signal over said telephone line from said communication device.

**Claim 21 (Cancelled)**

**Claim 22 (Currently Amended):** A filter for use in conjunction with a first gateway device capable of communicating with a second gateway device using a packet protocol, said

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

first gateway further capable of communicating with a communication device over a telephone line, said filter comprising:

an input configured to receive a first signal from said communication device;

a filter circuit configured to filter an answer tone from said first signal to generate a second signal;

an output to provide said second signal for transmission to said second gateway; and

~~The filter of claim 20 further comprising~~ a filter enable circuit, wherein said filter enable circuit enables said filter circuit for a pre-determined period of time.

**Claim 23 (Currently Amended):** A filter for use in conjunction with a first gateway device capable of communicating with a second gateway device using a packet protocol, said first gateway further capable of communicating with a communication device over a telephone line, said filter comprising:

an input configured to receive a first signal from said communication device;

a filter circuit configured to filter an answer tone from said first signal to generate a second signal;

an output to provide said second signal for transmission to said second gateway; and

~~The filter of claim 20 further comprising~~ a filter enable circuit coupled to a tone detector circuit, wherein said tone detector circuit receives said first signal from said communication device and enables said filter circuit via said filter enable circuit if said tone detector detects said answer tone.

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

**Claim 24 (Original):** The filter of claim 23, wherein said tone detector is enabled for a pre-determined period of time.

**Claim 25 (Original):** The filter of claim 23, wherein said first signal is received from an echo canceller receiving a third signal over said telephone line from said communication device.

**Claim 26 (Original):** The filter of claim 20, wherein said communication device is a modem device.

**Claim 27 (Original):** The filter of claim 20, wherein said communication device is a facsimile device.

**Claim 28 (Currently Amended):** The filter of claim ~~13~~ 20, wherein said filter circuit is a notch filter circuit centered around 2100Hz.

**Claim 29 (Currently Amended):** A computer program product for use in communication over a network, said network having a first gateway device and a second gateway device capable of communicating with each other using a packet protocol, said second gateway device capable of communicating with a communication device over a telephone line, said computer program product comprising:

code for receiving a call request by said second gateway device from said first gateway device for said communication device;

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

code for placing a call by said second gateway device to said communication device over said telephone line;

code for enabling an answer tone detector;

code for receiving an answer tone from said communication device; and

code for detecting said answer tone using said answer tone detector; and

code for preventing said answer tone from reaching said first gateway device.

**Claim 30 (Original):** The computer program product of claim 29, wherein said communication device is a modem device.

**Claim 31 (Original):** The computer program product of claim 29, wherein said communication device is a facsimile device.

**Claim 32 (Currently Amended):** A computer program product for use in communication over a network, said network having a first gateway device and a second gateway device capable of communicating with each other using a packet protocol, said second gateway device capable of communicating with a communication device over a telephone line, said computer program product comprising:

code for receiving a call request by said second gateway device from said first gateway device for said communication device;

code for placing a call by said second gateway device to said communication device over said telephone line;



Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

~~The computer program product of claim 29 further comprising code for enabling a filter; prior to receiving said answer tone;~~

code for receiving an answer tone from said communication device; and

code for preventing said answer tone from reaching said first gateway device;

wherein said code for preventing uses said filter to prevent said answer tone from reach said first gateway device.

**Claim 33 (Original):** The computer program product of claim 32, wherein said code for enabling said filter enables said filter for a pre-determined period of time.

**Claim 34 (Original):** The computer program product of claim 32, wherein said filter is a notch filter centered around 2100Hz.

**Claim 35 (Currently Amended):** The computer program product of claim 29, wherein said answer tone detector is further comprising:

~~code for enabling a fast tone detector prior to receiving said answer tone;~~

~~code for detecting said answer tone using said fast tone detector; and~~

~~code for enabling a filter in response to said code for detecting;~~

~~wherein said code for preventing uses said filter to prevent said answer tone from reach said first gateway device.~~

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

**Claim 36 (Original):** The computer program product of claim 35, wherein said code for enabling said filter enables said filter for a pre-determined period of time.

**Claim 37 (Original):** The computer program product of claim 35, wherein said filter is a notch filter centered around 2100Hz.

**Claim 38 (Original):** The computer program product of claim 35, wherein said code for enabling said fast tone detector enables said fast tone detector for a pre-determined period of time.

**Claim 39 (Currently Amended):** A first gateway device capable of communicating with a second gateway device over a packet network, said first gateway device further capable of communicating with a communication device over a communication line, said first gateway device comprising:

a receiver configured to receive a call request over said packet network from said second gateway device for said communication device;

a call module configured to place a call to said communication device over said communication line; and

a filter configured to prevent a tone from reaching said second gateway device over said packet network, wherein said tone is generated by said communication device in response to said call; and

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

a tone detector configured to detect said tone, wherein said tone detector enables said filter upon detection of said tone.

**Claim 40 (Previously Presented):** The first gateway device of claim 39, wherein said tone is an answer tone.

**Claim 41 (Previously Presented):** The first gateway device of claim 39, wherein said communication device is a modem device.

**Claim 42 (Previously Presented):** The first gateway device of claim 39, wherein said communication device is a facsimile device.

**Claim 43 (Currently Amended):** A first gateway device capable of communicating with a second gateway device over a packet network, said first gateway device further capable of communicating with a communication device over a communication line, said first gateway device comprising:

a receiver configured to receive a call request over said packet network from said second gateway device for said communication device;

a call module configured to place a call to said communication device over said communication line; and

Application Serial No.: 09/965,745  
Attorney Docket No.: 01CON237P

a filter configured to prevent a tone from reaching said second gateway device  
over said packet network, wherein said tone is generated by said communication device in  
response to said call;

~~The first gateway device of claim 39,~~ wherein said filter is enabled for a pre-determined period of time after said call module places said call.

**Claim 44 (Previously Presented):** The first gateway device of claim 39, wherein said filter is a notch filter centered around 2100Hz.

**Claim 45 (Cancelled)**

**Claim 46 (Currently Amended):** The first gateway device of claim ~~45~~ 39, wherein said tone detector is enabled for a pre-determined period of time after said call module places said call.